


Outline Drawing



36PG-3429 DC motor , 24V DC, Max. 11 watt

Model	Gear ratio	Gearbox Length (L)	No-load		Rated			At Stall	
			Speed rpm	Current mA	Speed rpm	Current A	Torque Kg.cm	Torque Kg.cm	Current A
36PG-3429-3.71	3.71	26.5	1950	< 270	1350	< 0.9	0.45	> 1.4	< 2.3
36PG-3429-5.2	5.2		1400	< 270	950	< 0.9	0.65	> 2	< 2.3
36PG-3429-14	14	34.5	520	< 230	360	< 0.8	1.8	> 6	< 2.3
36PG-3429-19	19		385	< 230	265	< 0.8	2.4	> 8	< 2.3
36PG-3429-27	27		270	< 230	190	< 0.8	3.5	> 12	< 2.3
36PG-3429-51	51	42.5	140	< 230	100	< 0.8	6.5	> 22	< 2.3
36PG-3429-100	100		72	< 230	50	< 0.8	13.5	> 45	< 2.3
36PG-3429-139	139		52	< 230	36	< 0.8	18.5	Can't exceed 60 Kg.cm	< 2.3
36PG-3429-264	264	50.5	28	< 230	19	< 0.8	34		< 2.3
36PG-3429-515	515		14	< 230	10	< 0.8	50		< 2.3



DONGGUAN E-S MOTOR CO.,LTD

Precision Works, Professional Transmission

Tel : 86.135.3263.9595 | E-Mail : sales@e-smotor.com | www.e-smotor.com

36PG-3429 DC motor , 12V DC, Max. 9 watt

Model	Gear ratio	Gearbox Length (L)	No-load		Rated			At Stall	
			Speed rpm	Current mA	Speed rpm	Current A	Torque Kg.cm	Torque Kg.cm	Current A
36PG-3429-3.71	3.71	26.5	1950	< 300	1350	< 1.5	0.45	> 1.4	< 4.3
36PG-3429-5.2	5.2		1400	< 300	950	< 1.5	0.65	> 2	< 4.3
36PG-3429-14	14	34.5	520	< 250	360	< 1.5	1.8	> 6	< 4.3
36PG-3429-19	19		385	< 250	265	< 1.5	2.4	> 8	< 4.3
36PG-3429-27	27		270	< 250	190	< 1.5	3.5	> 12	< 4.3
36PG-3429-51	51	42.5	140	< 250	100	< 1.5	6.5	> 22	< 4.3
36PG-3429-100	100		72	< 250	50	< 1.5	13.5	> 45	< 4.3
36PG-3429-139	139		52	< 250	36	< 1.5	18.5	Can't exceed 60 Kg.cm	< 4.3
36PG-3429-264	264	50.5	28	< 250	19	< 1.5	34		< 4.3
36PG-3429-515	515		14	< 250	10	< 1.5	50		< 4.3



DONGGUAN E-S MOTOR CO.,LTD

Precision Works, Professional Transmission

Tel : 86.135.3263.9595 | E-Mail : sales@e-smotor.com | www.e-smotor.com